



www.q-flex.fi info@q-flex.fi +358 2 4894 500

CONNECTIVITY BROUGHT TO LIFE

Use case catalog 2023/2024

ENABLING YOUR VISION OF TOMORROW

A WORLD OF INTERCONNECTIVITY

At the heart of technological innovation is the interconnection of all things. An Internet of Things. Teltonika Networks is proud to expertly facilitate this robust connectivity in every industry and sector, creating the landscape of IoT and M2M communication via the ingenuity of our partners' networking solutions.

TABLE OF CONTENTS

INDUSTRIAL & AUTOMATION

Automating & remote managing mine equipment across Australia	
Cross-industry monitoring cloud solution	
Easy & customisable remote capabilities for switch Siemens PLCS	1
Managed switch for superior car manufacturing precision	1
Global predictive maintenance by Premas	1
The large hadron collider's spy bug	1(

ENERGY & UTILITIES

Connectivity for circular battery energy storage systems			
Connectivity for energy storage systems across Australia		2	
Continious monitoring of wind turbine nacelle mechanism		2	
M-bus smart submetering for property utilities		2	
Cellular router for Firstnet lift station remote monitoring	~ /	2	
Uninterrupted monitoring of industrial boiler rooms	Z	30	

SMART CITY

Connectivity for Greenbox farms sustainable farming environments			
Efficient parcel terminal management with RMS	36		
Keeping road traffic flow safe and connected	38		
5G router for pop-up event connectivity	40		
Water ski live streaming with Bondix Intelligence	42		
Connectivity for mobile agricultural machines	44		

TRANSPORTATION

Autonomous racing car connectivity powered bu cellular router		
Connectivity for passenger trains across Europe	50	
Efficient planning of urban public transport systems	52	
5G router for RV Internet & camping Wi-Fi	54	
Dual band Wi-Fi router connectivity for ferry passengers	56	
Simplifying border control with a vehicle license reader	58	

ENTERPRISE

Accelerated password management with RMS			
Improving cafe Wi-Fi coverage with the first-ever Teltonika Networks access point	64		
Upgrading out-of-band management with a cellular router	66		
Enterprise router with SFP port for seamless connectivity	68		
Secure network infrastructure dor bank branches	70		
Securing networks with VLAN tagging in managed switches	72		

RETAIL

Centralised remote vending machine POS system management				
Connectivity for temperature sensors in insulated industrial refrigerators	78			
Cellular router for fail-safe ATM networks	80			
Cellular router for nonstop connectivity in POS terminals	82			
Optimised power and network support for in-vehicle devices	84			
The connectivity core of the Smyze robobarista	86			

Industry 4.0 is inseparable from IoT. Manufacturers, integrators, and engineers worldwide choose Teltonika Networks devices to enable Industrial solution, encompassing automation, AI, robotics, M2M communication, and predictive maintenance.

स्तिम् सम






Product

RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



In partnership with TERRAVISION

- TerraVision is an Australian industry leader in real-time fleet management tracking, reporting, and information systems.
- Its mine equipment automation and remote management solution, the BluePipe Smart Mine system, requires robust, dependable, and customisable cellular connectivity in remote areas.
- Providing this connectivity is the RUT955 industrial cellular router of Teltonika Networks. By allowing TerraVision to install custom software on the device, RUT955 helps automate mining operations by enabling the remote management and control of on-site equipment and proactive maintenance.





Product


RUT241 is a compact cellular router, providing Cat 4 connectivity with WAN failover and 2 Ethernet ports.



In partnership with



- Werma is a German leader in intelligent signal technology, providing advanced signal solutions that optimise work processes and ensure their effectiveness.
- Axima is its distributor in the Czech Republic, specialising in industrial automation supplies for the advancement of industrial development.
- Their solution, WeAssist, is a cross-industry cloud solution for aggregating signals and establishing a comprehensive automated monitoring system.
- Stability and adaptability are key factors in this solution, so RUT241 was chosen to provide reliable connectivity with expertise and help WeAssist realise its full potential.





EASY & CUSTOMISABLE REMOTE CAPABILITIES FOR SIEMENS PLCS

Product

RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.




In partnership with

MASTER CHIPS

Highlights

- Master Chips is a distributor of electronic components in the Belgian and Dutch markets with over 30 years of market experience. It maintains a strong focus on IoT and M2M communication and connectivity.
- Enabling remote capabilities to Siemens PLCs requires costly licenses. Seeing this growing market need, Master Chips set out to create a solution that would bypass this restriction.
- With some help from our R&D team, Master Chips developed a customised Python code for our RUT955 that provides end clients with easy, direct, and fully-customisable remote access to and management capabilities of Siemens PLCs.



MANUFACTURING LINE

WIRED DATA CONNECTION WIRELESS DATA CONNECTION RMS VPN CONNECTION CUSTOM PYTHON CODE
--




Product

TSW212 is an L2 managed switch with 8 Ethernet ports, 2 SFP ports, and protocol support including Profinet, MRP, and more.



- Car manufacturing facilities can achieve utmost performance primarily through automation. Their equipment demands robust network connectivity, but must also be continuously and precisely controlled and monitored at all times.
- The TSW212 managed switch is the puzzle piece completing this challenge, seamlessly integrating all facility equipment into one cohesive system and providing granular network management through its port management and QoS features.
- With support of protocols like EtherNet/IP, Profinet, and MRP, this managed switch facilitates automated data processing and supports MRP systems for establishing ring topologies between devices, which are essential for reducing the risk of production delays to the minimum.





Product

RUT241 is a compact cellular router, providing Cat 4 connectivity with WAN failover and 2 Ethernet ports.




In partnership with

PREMAS Progress matters.

Highlights

- Premas is a Swiss start-up with a dedicated predictive maintenance solution set to adapt to a wide range of manufacturing machines and help manufacturers distinguish themselves in a saturated and stagnating market.
- For its solution to work seamlessly and on a global scale, a stable Internet connection is a must. To that end, it chose to incorporate our RUT241 industrial cellular router in the solution.
- RUT241 enables this solution by delivering a stable Internet connection on top of a bevy of added features. Safe from hiccups and interruptions, Premas's solution successfully enhances and optimises the manufacturing maintenance process while reducing costs.





WIRELESS DATA CONNECTION WIRED DATA CONNECTION



Product


RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



In partnership with



- The European Organisation for Nuclear Research (CERN) is the world's top physics research organisation, working tirelessly to uncover the mechanics of the universe while creating and implementing cutting-edge technologies in pursuit of that goal.
- In order to provide real-time monitoring of environmental conditions within its Large Hadron Collider, CERN needed a connectivity device to be part of its innovative Train Inspection Monorail (TIM).
- CERN chose our RUT956 cellular router for this important role. Its combination of low power consumption, connection stability with added security features, and a versatile array of I/Os make the RUT956 the perfect fit to be added to TIM's core.



Energy efficiency is the infrastructure of the future. From fleets of submetering systems and lift stations to far-reaching wind and solar farms, Teltonika Networks products are the connectivity lifeblood of efficient energy and utility operations.





Product


RUT241 is a compact cellular router, providing Cat 4 connectivity with WAN failover and 2 Ethernet ports.



In partnership with



- Watt4Ever is a Belgian provider of affordable, sustainable, and local battery energy storage systems driven by a circular economy.
- To maintain the optimal safety and security of these systems, a network connectivity device must be included in the solution.
- Accomplishing this goal is the combination of our RUT241 cellular router and TSW110 Ethernet switch – guaranteeing seamless, uninterrupted data flow between solution and control centre.





Product


RUT241 is a compact cellular router, providing Cat 4 connectivity with WAN failover and 2 Ethernet ports.



In partnership with



- RedEarth is an Australian manufacturer of on and off-grid energy storage systems and batteries, providing electricity to residential and business clients throughout Australia.
- In order to ensure remote management and automated data tracking and analysis, its storage systems needed reliable connectivity. The problem was - reliable connectivity is scarce in rural Australia.
- RUT241 was chosen to enable this solution with uninterrupted 4G connectivity, alongside RMS Connect for remotely reaching and updating end devices easily and securely.








Product

RUT360 is a compact cellular router with WAN failover and Cat 6 speeds of up to 300Mbps with carrier aggregation.



- Wind turbines are an environmentally friendly and profitable way to harvest wind energy, but monitoring them isn't the easiest. Due to their extraordinary height and remote locations, their management demands automation.
- Creating a solution that enables remote and uninterrupted monitoring is the answer, but it calls for robust and reliable network connectivity that's difficult to promise in rural or offshore locations.
- Our RUT360 cellular router fits this solution like a glove, with data throughput speeds of up to 300 Mbps and 4G LTE Cat 6 network connectivity that ensures smooth monitoring and management processes of the nacelle mechanism.





Product


TRB143 is a compact, telemetry-focused cellular gateway with M-Bus support, 2 digital I/Os, and a Gigabit Ethernet port.



- In the world of Industry 4.0 property utilities, keeping an IoT solution simple can be difficult. Multiple parameters must be measured separately and transferred to multiple cloud servers of multiple utility suppliers, such as electricity, water, and gas.
- Difficult, but far from impossible. Our TRB143 gateway features the M-Bus interface, allowing it to transfer telemetry data from up to 250 self-powered meters over a 4G network, and it can power up to 6 meters over M-Bus as well.
- This industrial gateway offers efficient telemetry and scalability without sacrificing reliability, security, or durability, When it comes to smart submetering, the TRB143 is the perfect fit!









Product


RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



In partnership with



- LEC is a U.S.-based automation and integration specialist dedicated to providing its clients with industrial automation, control engineering, and industrial IoT enablement and cloud platform services of the highest quality.
- Its iQ2 remote management tool provides IoT remote monitoring and management capabilities to lift stations across the U.S. by transmitting critical data through the FirstNet cellular network to the iQ2 platform, allowing for quick response to alarms.
- This data transmission requires a reliable, FirstNet-certified 4G LTE router - the RUT956. This cellular router checks all the boxes by providing this solution with seamless, uninterrupted connectivity, interface versatility, and support of a wide range of industrial protocols.









Product


TRB142 is an ultra-small, lightweight, and energy-efficient IoT gateway equipped with mission-critical LTE connectivity.



In partnership with



- Industrial boiler rooms are known for their complexity and need for continuous remote monitoring. However, since boiler rooms are most commonly in basements, strong and reliable network connectivity is hard to guarantee.
- NS Koncept creates automation solutions revolving around industrial and thermal power processes. For this challenge, it put its trust in our TRB gateways for creating an automated monitoring and control solution.
- TRB140, TRB142, and TRB145 ensure robust and uninterrupted network connectivity alongside key features like ping reboot and SMS configuration, making them irreplaceable for this demanding solution.



Modern life is an orchestra of smart devices. Teltonika Networks devices facilitate steadfast communication between connected sensors and machines, creating the infrastructure for maximising efficiency and safety while minimising costs.

shapily

AT SE MINER

162 168 to 1

: 33 In

and a first sector and the state of the stat

THE REPORT

100

...

111111






Product

RUT241 is a compact cellular router, providing Cat 4 connectivity with WAN failover and 2 Ethernet ports.



In partnership with greenbo

- Greenbox Farms is a Dutch innovator dedicated to revolutionising the way we grow our food, turning underutilised spaces into thriving, sustainable farming environments.
- Its container farms rely on advanced technology, such as climate control systems and cloud-based crop management software, to grow crops efficiently and precisely.
- Ensuring continuous, uninterrupted operation is the RUT241 industrial cellular router by Teltonika Networks, providing reliable LTE Cat 4 connectivity, WAN failover, MQTT support, I/O customisability, and remote management capabilities.






Product

RMS is a user-friendly platform for remotely accessing and controlling your fleet of networking devices.



- Parcel terminals are the golden standard of modern-day consumerism – you pick up your order when you want to, where you want to. This is only possible thanks to the sheer number of such terminals spread across as wide an area as possible.
- This is a recurring headache when it comes to routinely updating the terminals' firmware and providing them with troubleshooting support. Doing so manually is incredibly expensive, time-consuming, and inefficient.
- Using RMS, the entire process can be done remotely, easily, and securely. RMS Connect allows you to access and control the PC of any of your terminals via SSH, and to view its screen via VNC. With RMS, it's as though you were right in front of it!







Product


RUTX11 is a dual SIM, dual-band Wi-Fi cellular router with Cat 6 connectivity and 4 Gigabit Ethernet ports.



In partnership with



- The Pereira Mobility Institute is a Colombian governmental Institute that's responsible for supervising the Pereira municipality region and integrating mobility improvements that adhere to national laws, with one of the focuses of the Institute being traffic control.
- The Institute got a request to implement a cohesive traffic light system for the capital city of Pereira, which would enable remote monitoring and control. However, that's only half of the request. It also needed to ensure the entire system is safe and immune to cyberattacks.
- For this solution, it chose the trio of our RUT241, RUTX11, and OpenVPN, which enabled robust and uninterrupted network connectivity for seamless M2M communication with great security as a cherry on top.






Product

RUTM50 is a 5G dual-band cellular router, providing ultra-high speeds of up to 3.4 Gbps with auto-failover redundancy.

	•				
TREPORT Menute	#) #	CTELFORMKA Networks	And a contraction	CTRATION INCOME	And Colores Alites of Views & Colorest and Colorest and
RUTM50	e) e) e)	RUTM50		RUTM50	Douge 4(-461)
	(f)				

- Pop-up events are the new commercial hotness, offering great returns for a low investment. However, their mobile nature does present some challenges when it comes to connectivity – ones which restrict what a pop-up shop can do and accomplish.
- Single-handedly solving this issue is the RUTM50 5G router by Teltonika Networks, an FCC-certified device capable of ultra-high cellular speeds of up to 3.4 Gbps.
- The RUTM50 cellular router is a cost-effective way to ensure high throughput video streaming and virtual technologies, and equally high client engagement to get the most out of your pop-up ventures.





Product


RUTX12 is a dual SIM, Cat 6 cellular router with load balancing and 2 modems for dual simultaneous connections.



In partnership with



- LTP Streaming is a streaming service provider responsible for ensuring smooth and uninterrupted, multi-camera live streams for all types of events and industries.
- Bondix Intelligence provides network bonding services by establishing extremely-high bandwidths that are especially useful when you need network connectivity in rural areas.
- LTP Streaming chose our RUTX12 and Bondix Intelligence services to establish a successful live stream of "The Ultimate DUEL Waterski Battle" in a rural countryside area with subpar Internet capabilities.





Product


RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



In partnership with



- Agrifac is a Dutch manufacturer of innovative crop sprayers, spearheading smart and sustainable agriculture solutions based on the '4Es for growers' concept.
- Capestone is a distributor of mobile Internet solutions, IoT networks, and critical communications, providing solutions to telecom and IT resellers, system integrators, service providers, and manufacturers worldwide.
- Their joint solution provides Agrifac's mobile machines with stable connectivity and GNSS capabilities thanks to our RUT956 router, bringing with it numerous control, security, and reliability features.
- Importantly, RUT956 was designed to withstand adverse industrial conditions, ensuring that no environmental or weather condition fit for growing crops would disrupt the device in any way.



By air, sea, and land, the mobile world of transportation is constantly moving towards greater efficiency. From simple in-vehicle Wi-Fi to reliable communication systems, Teltonika Networks products enable innovation and new revenue systems.






Product

RUTX11 is a dual SIM, dual-band Wi-Fi cellular router with Cat 6 connectivity and 4 Gigabit Ethernet ports.



In partnership with starkstron AUGSBURG

- StarkStrom Augsburg e. V. is a non-profit organisation that encourages engineering, business, IT, and design students to develop formulas for racing events. This development process incorporates tasks from daily tech sector tasks, such as electromobility and automation testing on driverless vehicles.
- Every driverless car needs a stable wireless Internet connection to receive commands, which can be easily attained with the Teltonika Networks RUTX11 cellular router. Integrating the router in the Formula circuit allows all control units and PCs embedded in the formula to be accessed remotely via Wi-Fi.
- The RUTX11 cellular router equips the student teams with robust connectivity and provides many other great features, like GNSS, top VPN support, and load balancing functionality for even greater connectivity speeds that eliminate latency.






Product

RUTX11 is a dual SIM, dual-band Wi-Fi cellular router with Cat 6 connectivity and 4 Gigabit Ethernet ports.



- Passenger trains, as a lower-emissions means of transportation, are growing in popularity in Europe. This increases the demand for railway connectivity for both passenger and operational benefits.
- RUTX11 has recently become EN 45545-2-certified, meaning it is safe and approved for use in passenger trains.
- This powerful, LTE Cat 6 networking device has a long list of features that help it excel in its new role of providing passenger train connectivity, including Wave-2 802.11ac Dual Band Wi-Fi, four Gigabit Ethernet ports, Dual SIM, and easy remote management capabilities.






Product

RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



- When a city is planning its public transport system, the efficiency of that system lives and dies on the quality of its usage and demand data.
- To automate on-bus data collection, our versatile RUT955 joined forces with the FMB125 vehicle GPS tracker by Teltonika Telematics for optimal accuracy and connectivity.
- Relying on the router's reliable inter-device connectivity and the tracker's positioning precision, this solution ensures seamless, real-time data flow from the moving bus to the control room server.








Product

RUTX50 is a 5G dual-band cellular router, providing ultra-high speeds of up to 3.3 Gbps with auto-failover redundancy.



- Establishing robust and reliable Internet for an RV can be a challenge, but the RUTX50 5G router by Teltonika Networks more than meets your camping Wi-Fi needs.
- This 5G router can reach cellular speeds of up to 3.3 Gbps and Wi-Fi 5 with data transmission rates of up to 867 Mbps, allowing for stellar RV Internet as though you were right at home.
- The RUTX50 is also packed with reliability features to keep your Wi-Fi for RV uninterrupted and seamless, such as dual SIM with failover. A tailor-made 5G combo MIMO antenna is also available for this device.





Product

RUTX12 is a dual SIM, Cat 6 cellular router with load balancing and 2 modems for dual simultaneous connections.




In partnership with



- ISTTELKOM, an Istanbul-based software engineering and distribution company, undertook a challenge to enhance the weak Internet signals within ferries in Istanbul, Turkey. This initiative was crucial, as water entertainment ventures in Turkey increasingly rely on good network infrastructure.
- The challenge was overcome by employing the company's Qetra SDWAN Suite software in combination with the Teltonika Networks RUTX12 Wi-Fi router. The solution ensured consistent network connectivity for ferry equipment and passengers, regardless of their distance from the shore.
- Equipped with SD-WAN capabilities, the 4G router handles heavy data traffic with ease. Thanks to its failover functionality and dual cellular modems, the device can switch between mobile services seamlessly, facilitating dual-band Wi-Fi connections to boost data throughput and resilience to network disturbances.







Product

TSW100 is an unmanaged switch with 5 Gigabit Ethernet ports and 4 PoE ports providing up to 30 W per port.




In partnership with

ADAPTIVE RECOGNITION

Highlights

- Adaptive Recognition is a Hungarian developer and manufacturer specialising in AI-based image processing technologies. Among their numerous innovations is a technology designed for the police transportation sector, facilitating traffic recognition via cameras through automated license plate checking.
- Given that transportation systems, just like police vehicles, are constantly mobile, it's essential to integrate a solution that supports this mobility. This is why Adaptive Recognition selected the Teltonika Networks TSW100 PoE+ network switch to join the solution.
- This PoE+ switch, plugged into a power converter via an Ethernet cable, receives power and thus distributes it to other devices plugged into it. Of course, with that power comes network connectivity, enabling the entire system's infrastructure to work in tandem.



-- WIRELESS DATA CONNECTION — WIRED DATA CONNECTION — Poe Power & Data Connection

Security, scalability, and backup connectivity are the building blocks of enterprise growth and success. Teltonika Networks devices enable a reliable networking infrastructure for enterprise applications – anywhere, anytime.






Product

RMS is a user-friendly platform for remotely accessing and controlling your fleet of networking devices.



- Manual password-changing in networks consisting of thousands of connectivity devices is costly, inefficient, and prone to human error. Luckily, there is a simple way to expedite this process.
- Using the streamlined password management function of our Remote Management System (RMS) allows changing the password of thousands of devices to be accomplished in a matter of seconds.
- Additional features like device monitoring, performance analysis, and full control over updates and configurations further help RMS reduce human error potential and save time and money.






IMPROVING CAFÉ WI-FI COVERAGE WITH THE FIRST-EVER TELTONIKA NETWORKS ACCESS POINT

Product

TAP100 is a PoE-in access point with an integrated mounting bracket, UV-stabilised plastic housing, and an RJ45 port.



- Every café needs reliable Wi-Fi to deliver the best client experience and be successful, but ensuring full wireless coverage in all spaces of a café can often be complex and expensive.
- The new Teltonika Networks TAP100 access point improves Wi-Fi coverage by projecting a wireless signal onto a designated area.
- Additional value features of this access point include PoE-in functionality, simple traffic rules configuration and multi-SSIDs, and a specialised design dedicated for the needs of enterprise and commercial spaces.






Product

RUT956 is a dual SIM cellular router with auto-failover and a wide range of protocol support, including RS232 and RS485.



- Out-of-band management is a common method of remotely accessing a network or device. However, OOB solutions are subject to slow connection speeds and high recurring charges.
- Deploying the Teltonika Networks RUT956 cellular router allows you to keep your existing legacy infrastructure but make OOB faster and more reliable while reducing costs.
- This is thanks to the RUT956 being easy and fast to deploy, its LTE Cat 4 connectivity enhanced by a myriad of network reliability features, and compatibility with RMS.






Product

RUTXR1 is a rack-mountable, dual SIM enterprise router with Cat 6 connectivity, SFP, and dedicated console ports.



- The downtime costs of enterprises are a serious risk that can be avoided by choosing the right enterprise router and ensuring backup connectivity and power sources for maximum redundancy.
- The RUTXR1 cellular router was designed with enterprise needs in mind and features multiple levels of redundancy, including an SFP port, console port, two SIM slots with WAN failover, and two 4-pin DC connectors.
- This rackmount router ensures robust and uninterrupted enterprise Wi-Fi while being easy to deploy, making it the ideal choice for your office space.








Product

RUT300 is an industrial Ethernet router boasting configurable digital I/Os, 5 Ethernet ports, and USB 2.0.



- Nowadays, banks must provide more than just traditional banking services over networks; they must also prioritise exceptional data security. At the centre of this mandate is a solid and secure network infrastructure that meets all criteria, with the added advantages of scalability and easy management.
- For a solution embodying security, efficacy, and additional features like remote monitoring, Teltonika Networks' RUT300 Ethernet router, coupled with RMS and its Connect and VPN services, emerge as an unparalleled choice.
- The RUT300 Ethernet router fortifies bank branches with reliable network connectivity while RMS grants exceptional remote monitoring and management capabilities, further amplified by its ability to offer secure access to third-party devices. This guarantees seamless overseeing of the entire network infrastructure of bank branches, ensuring unmatched convenience and security.






Product

TSW212 is an L2 managed switch with 8 Ethernet ports, 2 SFP ports, and protocol support including Profinet, MRP, and more.



- Many organisations establish VLANs for greater security of their network infrastructure. However, this requires advanced network switches capable of providing granular control that extends even to endpoint devices.
- Managed switches are the ideal solution for these challenges. They enable network administrators to establish multiple VLANs, effectively segregating company departments while having utmost reachability over each end device.
- Beyond VLAN tagging, managed switches like the TSW202 and TSW212 offer QoS and scheduling features that allow for prioritised data flow management from multiple endpoints and automate tasks such as periodic port shutdown for even greater network management.



In the age of information, data is everything. As rapid adoption of IoT in the retail sector facilitates innovative data collection for optimal decision-making, Teltonika Networks devices help businesses stay competitive in an eversmarter market.






Product

RMS is a user-friendly platform for remotely accessing and controlling your fleet of networking devices.



- With shifting consumer behaviour, coin-operated vending machines are now a thing of the past and new machine models are manufactured to accept card payments only via POS terminals. While this digitalisation meets client needs, it inevitably becomes a new niche for hackers to compromise client card data and money.
- Instead of having engineers manually update the firmware of those POS terminals individually for safety reasons, it can be easily done using Teltonika Networks RMS. This allows for simultaneous updates to multiple POS terminals, ensuring secure remote access from anywhere, any time.
- Additionally, RMS can be used for remote management of connectivity devices and remote control of third-party devices, like sensors. This enables device configuration and establishing functions, like data tracking or real-time alerts in case of machine shutdown or connectivity loss.






Product


RUTX11 is a dual SIM, dual-band Wi-Fi cellular router with Cat 6 connectivity and 4 Gigabit Ethernet ports.



- Food venues must maintain their stock in stable temperatures to avoid the financial losses resulting from spoiled ingredients. To prevent this from happening, industrial refrigerators must be equipped with thermal sensors.
- However, these sensors use Bluetooth to communicate, the signal of which is blocked by the thick metal walls of these refrigerators.
- The combination of our RUTX11 cellular router and RUTX10 Ethernet router provides a stable 4G connection to the sensors while also making for efficient use of data.












Product

RUTX09 is a reliable, dual SIM cellular router with auto-failover, 4 Gigabit Ethernet ports, and Cat 6 connectivity.



- With the number of ATMs worldwide being on a steady rise year after year, ensuring a fail-safe backup connection to your ATM network, regardless of location, is critical.
- The RUTX09 industrial cellular router by Teltonika Networks comes ready for deployment with two SIM card slots, auto-failover, backup WAN, and other switching scenarios for your ATM networks.
- This 4G router boasts cellular speeds of up to 300 Mbps with carrier aggregation, 4 Gigabit Ethernet ports with up to 128 port/tag-based supported VLANs, and robust remote access and management capabilities, making the RUTX09 perfect for your ATM network solutions.






Product

RUTX12 is a dual SIM, Cat 6 cellular router with load balancing and 2 modems for dual simultaneous connections.



- The retail market is filled to the brim with a myriad of components, including POS terminals, cameras, and scanners. Each component, as you might have guessed, demands excellent network connectivity to ensure operation at peak efficiency. However, this is difficult to achieve in rural areas, where coverage is often limited.
- To the rescue comes the Teltonika Networks RUTX12 cellular router, equipped with a dual SIM module for enhanced connectivity speeds. This feature is particularly beneficial for remote locations like rural markets, as it ensures redundancy while eliminating the risk of losing connection at crucial moments.
- Besides that, this 4G LTE router can split traffic between the two mobile connections with a load balancing feature. This cellular router allows you to prioritise connectivity for essential equipment like scanners, ensuring they maintain a consistent and reliable connection for smooth operations.






Product

TSW101 is an unmanaged switch for in-vehicle applications, equipped with 4 PoE+ ports and 5 Gigabit Ethernet ports.



- Besides cooking appliances, a food truck is filled with network-dependent equipment that needs reliable network connectivity. Since the truck already has limited space, making sure the solution doesn't consist of pools of wires is also considered.
- The solution was accomplished by using two Teltonika Networks products: the new TSW101 automotive switch and a RUT360 cellular router. While the RUT360 gives robust network connectivity, the TSW101 switch is the one to provide it to all in-vehicle equipment, like CCTV cameras and POS terminals, while keeping them powered with PoE+.
- With the standard vehicle power supply of 12V and 24V, the TSW101 is a two-in-one switch that can transmit both Internet and power simultaneously.





Product


RUT360 is a compact cellular router with WAN failover and Cat 6 speeds of up to 300Mbps with carrier aggregation.



In partnership with SMYZE

- Smyze is a Switzerland-based international team of engineers revolutionising B2C beverage sales by combining robotics, IT, and beverage technologies.
- Its Smyze Robobarista is a fully-independent robot that rivals the quality of human baristas when it comes to making beverages - but with maximised, automation-enhanced efficiency.
- Connecting the robot's orchestra of hundreds of industrial-grade components is the RUT360 industrial cellular router by Teltonika Networks, bringing LTE Cat 6 connectivity with extra flexibility, reliability, and remote management capabilities.





JOIN OUR NEXT CATALOGUE

SHARE YOUR Solution





Plant)

(m)

133

EFFEFF

ALLAN

75

(CB)

autra

d

www.q-flex.fi info@q-flex.fi +358 2 4894 500



Wiki knowledge base wiki.teltonika-networks.com



Teltonika Networks teltonika-networks.com